STAT

.*	,	RC	ONITUC	3 AND	RECOR	D SHEET
SUBJECT:	(Optional)					
	Ceiling	g Matte	ers			
FROM:					EXTENSION	но.
	C/HRPS/OP			ď		DATE
	1012 Ames B1	.dg		Į		2 June 1982
TO: (Office building)	er designation, room number,	and	DA	ATE	OFFICER'S	COMMENTS (Number each comment to show from
bullaling;			RECEIVED	FORWARDED	INITIALS	to whom. Draw a line across column after each cor
	DD/OP-PA&E 1006 Ames Bldg.	v (3	JUN 19	82	B	Ben:
2.		1	-			Stan, Dave and I are getting together or monday to discus how to get a better handle on the use control of non-cicling FTE. Lete
3.	DD/OP					a monday to alscus
	5 E 58 Hqs.					to a ra better
					· · · · · · · · · · · · · · · · · · ·	how is go
4.						control of non-cicling
5.					-	FTE. Lete
6.						
7.						
8.						
9.			~~~			
10.	· · · · · · · · · · · · · · · · · · ·					
11.						
12.						
13.						
14.						
15.						
		İ	ŀ	'	i	

FORM 610 USE PREVIOUS EDITIONS

2 June 1982

	MEMORANDUM FOR:	Deputy Directo	or of Personnel						
25X1	FROM:	C/HRPS/OP							
	SUBJECT:	Ceiling Matter	rs .						
25X1	tells me that is overage in non-c	ceiling FTE by r	For FTE control expensive to the not filling post	. The corry ry to cov- itions.	mputer er an At this	25X′			
25X1	late date, we we	would have to leavepositions unfilled to get25X´ FTE manyears. ("Non-ceiling" = FTE attributed to							
25X1	2. You expressed an interest in the distribution of the overage in non-ceiling FTE use. The following chart is based on the FTE report as of 15 May 82. It projects annual FTE use by applying the ratio to the current total for FTE reporting periods. This ratio will give a conservative estimate of annual use, slightly less than estimate, but I am not really quarreling with his estimate.								
	Directorate	Non-ceiling FTE Target	Projection (26/16 x current use 16 periods)	Excess	Hold-back Positions (Offset)	25X′			
	DCI DDA DDO DDI DDS&T								
	TOTAL								
25X1	the number of poverage in non-data in paragra	In the above table, the column on hold-back positions indicates the number of positions that could be held back to offset an overage in non-ceiling manyears. It is derived from the overall lata in paragraph one, that positions would be equivalent to manyears, which is a ratio of slightly more than 25X							
25X1	3. I attach the two computer sheets that back up paragraph 1. Sheet I is the calculation of FTE associated with a final strength of Sheet II is the equivalent calculation associated with a final strength of It is manyears								
		\$	SECRET			25X1			

Approved For lease 2005/08/03 : CIA-RDP86-0002 00100030008-9

lower than the first. Please don't worry about the fact that both FTE totals are slightly higher than the ceiling of These calculations are based on strength figures that include some unpaid LWOPs who are not calculated in the official FTE reports based on payroll data.	25X1
	25X1

Attachments

Next 1 Page(s) In Document Exempt

building, Agency/Po	ol, room number, ost)	Initials	Date
DD/Personne	ė1		
D/Personne	- Desmi	read	
	what we	A.0 Q.0	0
l:12a	mean the		
dencu	sonis B		
Action	File	Note and Return	
Approval	For Clearance	Per Conversation	1
As Requested	For Correction	Prepare Reply	
Circulate	For Your Information	See Me	
Comment	Investigate	Signature	
Coordination	Justify		
	Revamped pu	your	
	Revamped pu discussion wi	your the Gene.	
	Revenged per discussion wi	your He Seve.	
	Revamped per discussion wi	your He Gewe.	
	Revenged pu discussion wi	your the Sewe.	
	Revanged pur discussion wi	your the Seve	•
	Revanged per discussion wi	your the Steve	
	Revenged per discussion wi	your He Gene	
T. 3:			
T. 3:	Revenued per discussion with as a RECORD of approvals clearances, and similar action	s, concurrences, dis	pos
75 3:	n as a RECORD of approvals clearances, and similar actio	i, concurrences, dis	ldg
	n as a RECORD of approvals clearances, and similar actio	s, concurrences, dis	ldg

* GPO: 1981 0 - 341-529 (120) FPMR (41 CFR) 101-11.206

Approved For Release 2005/08/03 : CIA-RDP86-00024R000100030008-9

5041-102

Date

OPTIONAL FORM 41 (Rev. 7-76) Prescribed by GSA FPMR (41 CFR) 101-11.206

TAT

Approved For Relea 2005/08/03 : CIA-RDP86-00024R000 30008-9

R	OUTING	3 AND	RECORI	D SHEET				
SUBJECT: (Optional)								
FROM:			EXTENSION	NO.				
D/Personnel				DATE 1982				
TO: (Officer designation, room number, and building)	(Officer designation, room number, and DATE ling)		OFFICER'S	COMMENTS (Number each comment to show from whom to whom. Draw a line across column after each comment.)				
	RECEIVED	FORWARDED	INITIALS	nioni. Diaw a line across column affer each comment.)				
1.			1					
Executive Director	-	-		4				
2.								
3.		1		1				
4.								
] .				
5.								
4								
6 .	144							
7.		-						
8.								
9.								
10.								
11.	tw ·			-				
		· .						
12.								
13.								
				-				
14.								
15.	-	-		+				

25X1

MEMORANDUM FOR:	Executive Director	r	•					
FROM:	James N. Glerum Director of Perso	nne1	,	,				
SUBJECT:	Distribution of FY 1982 Ceiling Relief							
	,	•.		,	•			
to our exceeding creased our FTE in FY 1982. As will, however, con FY 1983 ceili	ceiling, we will some system to control he continue to be need ing increases in recants likely to be sost equitable. A control of the control	ll time emp chedule mor iring withi ed. I sugg lation to c cleared and	loyees and e people to n the	OMB has in- o enter on duty limitation system based ds and the	Like way 25X			
	DCI				25X ²			
	DDA							
	DDI							
	DDS&T							
	DDO							
	Total			•				
that portions of reallocated as r is committed. 2. These a	approach the end of these allocations necessary in order allocations will perchass of Career Trains	will not b to ensure t rmit the hi	e used, the he entire [ey will be authroizatio	^{on} 25X´			
allow us to bols linguists, and f to alleviate the the Agency. Fir resources to mai	ster our cadre of encoreign area specially critical shortage nally, it will allowed the current probability bring the Agency	ngineers, s lists. In of clerica w the Offic pacelof its	cientists, addition, v 1 employees e of Person recruitmen	technicians, we will be able s throughout nnel sufficient nt and placement				
APPROVED:	·	James N.	Glerum					
					25X ²			
Executive Direct	cor		Date					
	сксо	F. T						
Approved Fo	or Release 2005/08/03	: CIA-RDP86	-00024R00 01	100030008-9				

How control use of PT/I FTE: 1) as Cong as figited use of FTE dec we exceed count. 2) If a fuzicul overy is in PT/1 Fit is not of per in PFT FIE, the institute Afairel Controls. a) 0/8ERI will amount the articifate overy at Conf. Meets will frefor a flow to

reduce we I PT/I FIE or to offered it.

C) If an efform flow in not fire cons

Of (PER) will afform of ExDIR, will institute a

flooriest or foother, for the Directory or

region track gain and loss statistis on har ceils femand to infrove aralysis and form of trad will wond looking personal factors.

> D/Per. New to Do's. in agreed to live within is 5. head for michrose theye or will nist that Loldbrike